L Number	Hits	Search Text	DB	Time stamp
1	3723	235/375.ccls.	USPAT;	2003/05/02 14:28
1	ì		US-PGPUB;	
1	1		EPO; JPO;	ĺ
			IBM_TDB	
2	21	(test ADJ (tube OR strip)) AND 235/375.ccls.	USPAT;	2003/05/02 14:30
			US-PGPUB;	
	}		EPO; JPO; IBM TDB]
3	38	((height OR size) NEAR4 (measur\$4 OR detect\$3 OR	USPAT;	2003/05/02 14:39
		discriminat\$3)) AND 235/375.ccls.	US-PGPUB;	2000/00/02 14.00
	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
	1		IBM_TDB	
-	2086	((size OR height) NEAR5 detect\$3) SAME (standard OR rule)	USPAT;	2003/04/30 14:25
	ļ		US-PGPUB;	[
			EPO; JPO;	ļ
!	604	scan AND (((size OR height) NEAR5 detect\$3) SAME	IBM_TDB USPAT;	2003/04/30 14:26
	004	((standard OR rule))	US-PGPUB;	2003/04/30 14.20
		(Statidard String))	EPO; JPO;	
			IBM_TDB	
-	2862	250/221,222.1,577.ccls.	USPAT;	2003/04/30 11:45
	:		US-PGPUB;	
	!		EPO; JPO;	
!		(annu AND ((aine AD beints) NEADE detected) CAAAE	IBM_TDB	0000/04/00 40:07
-	4	(scan AND (((size OR height) NEAR5 detect\$3) SAME (standard OR rule))) AND 250/221,222.1,577.ccls.	USPAT; US-PGPUB;	2003/04/30 13:37
		(Standard ON Tule))) AND 200/221,222.1,377.0015.	EPO; JPO;	
			IBM_TDB	
-	1543	250/223R,223B.ccls.	USPAT;	2003/04/30 13:38
			US-PGPUB;	
	Ì		EPO; JPO;	
		(and AND (//ains OD to inha) NEADS detected) CANE	IBM_TDB	0000/04/00 40:00
-	2	(scan AND (((size OR height) NEAR5 detect\$3) SAME (standard OR rule))) AND 250/223R,223B.ccls.	USPAT; US-PGPUB;	2003/04/30 13:39
:	l	(Standard OK Tule)// AND 200/223K,223B.CCIS.	EPO; JPO;	
			IBM TDB	
-	15	reagent AND sample AND analy\$4 AND	USPAT;	2003/04/30 15:26
	 	(250/221,222.1,577.ccls. OR 250/223R,223B.ccls.)	US-PGPUB;	
			EPO; JPO;	
		3629595.URPN.	IBM_TDB USPAT	2003/04/30 14:22
-	· 3 8	5463228.URPN.	USPAT	2003/04/30 14:22
_	6695	((size OR height) NEAR5 (detect\$3 OR measur\$4)) SAME	USPAT;	2003/04/30 16:19
		(standard OR rule)	US-PGPUB;	
	i		EPO; JPO;	
j i		AND W. CODI. LIVINGADO VI CADO CO	IBM_TDB	00000040004
-	1098	scan AND (((size OR height) NEAR5 (detect\$3 OR	USPAT;	2003/04/30 14:26
Ì		measur\$4)) SAME (standard OR rule))	US-PGPUB; EPO; JPO;	
			IBM TDB	
-	7	(scan AND (((size OR height) NEAR5 (detect\$3 OR	USPAT;	2003/04/30 14:28
		measur\$4)) SAME (standard OR rule))) AND	US-PGPUB;	
		(250/221,222.1,577.ccls. OR 250/223R,223B.ccls.)	EPO; JPO;	
		(AND AND AND	IBM_TDB	0000/04/00 45 65
-	48298	reagent AND sample AND analy\$4 AND (pour\$3 OR fill\$3)	USPAT;	2003/04/30 15:27
			US-PGPUB; EPO; JPO;	[
			IBM TDB	
-	4797	73/1,79,1.81,1.73;250/221,222.1,577,223R,223B.ccls.	USPAT;	2003/04/30 15:28
•			US-PGPUB;	}
			EPO; JPO;	}
		Consent AND seconds AND seed of AND Confidence	IBM_TDB	2002/04/20 40 44
-	10	(reagent AND sample AND analy\$4 AND (pour\$3 OR fill\$3)) AND 73/1.79,1.81,1.73;250/221,222.1,577,223R,223B.ccls.	USPAT; US-PGPUB;	2003/04/30 16:14
		MND 13/1./3,1.01,1./3,230/221,222.1,3/1,223N,223D.CCIS.	EPO; JPO;	}
1	İ		IBM_TDB	İ

-	1548	250/234,235.ccls.	USPAT;	2003/04/30 16:15
1	}		US-PGPUB;	
	•		EPO; JPO;	
	ı		IBM_TDB	
	1210	250/559.26,559.24,559.19,559.25,559.4.ccls.	USPAT;	2003/04/30 16:19
	1		US-PGPUB;	
	i		EPO; JPO;	
	i		IBM_TDB	
	660	250/566.ccls.	USPAT;	2003/05/01 10:43
-	000		US-PGPUB:	2000/00/01 10:40
			EPO; JPO;	
	40	250/500 - AND	IBM_TDB	2002/05/04 44:24
-	19	250/566.ccls. AND reflect\$3 AND scan\$4 AND ((height OR	USPAT;	2003/05/01 11:24
		size) NEAR5 (measur\$4 OR detect\$3 OR discriminat\$3))	US-PGPUB;	
			EPO; JPO;	
1			IBM_TDB	
-	1124	235/462.45,462.49,472.01,472.03.ccls.	USPAT;	2003/05/01 11:24
	}		US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	101	235/462.45,462.49,472.01,472.03.ccls. AND reflect\$3 AND	USPĀT;	2003/05/01 11:26
		scan\$4 AND ((height OR size) NEAR5 (measur\$4 OR	US-PGPUB;	
1		detect\$3 OR discriminat\$3))	EPO; JPO;	
		dotosto on dicommistory)	IBM TDB	
i _	98	(235/462.45,462.49,472.01,472.03.ccls. AND reflect\$3 AND	USPAT:	2003/05/01 11:28
-	30	scan\$4 AND ((height OR size) NEAR5 (measur\$4 OR	US-PGPUB;	2003/03/01 11.20
!				
	i	detect\$3 OR discriminat\$3))) AND (standard OR compar\$4	EPO; JPO;	
		OR background)	IBM_TDB	0000/05/04 40:00
-	489	73/1.79,1.81,1.73.ccls.	USPAT;	2003/05/01 12:09
			US-PGPUB;	
		1	EPO; JPO;	
		} 	IBM_TDB	
-	72	scan\$4 AND 73/1.79,1.81,1.73.ccls.	USPAT;	2003/05/01 12:20
	1		US-PGPUB;	
1			EPO; JPO;	
			IBM_TDB	
-	1622	((height OR size) NEAR3 compar\$4) WITH (standard OR	USPAT;	2003/05/01 12:21
		background OR rule OR mark)	US-PGPUB;	,
		,	EPO; JPO;	
			IBM TDB	
	503	scan\$4 AND (((height OR size) NEAR3 compar\$4) WITH	USPAT;	2003/05/01 12:20
	000	(standard OR background OR rule OR mark))	US-PGPUB:	2000.00.01
ĺ		(Standard Ort background Ort fulle Ort mark))	EPO; JPO;	
1			IBM TDB	
1	000	(//haight OD size) NEAD2 compared) \//ITU (standard OD	USPAT;	2003/05/01 12:38
; -	63	(((height OR size) NEAR3 compar\$4) WITH (standard OR		2003/03/01 12.30
•	:	background OR rule OR mark)) WITH (object OR subject OR	US-PGPUB;	
	1	article)	EPO; JPO;	
	:		IBM_TDB	0000/05/04 40 65
· -	. 0	("(object WITH ((detect OR measure) NEAR2 (height OR	USPAT;	2003/05/01 12:39
•	1	size))) AND scan\$4").PN.	US-PGPUB;	
		, I	EPO; JPO;	
			IBM_TDB	
-	421	(object WITH ((detect OR measure) NEAR2 (height OR size)))	USPAT;	2003/05/01 12:40
		AND scan\$4	US-PGPUB;	
		I	EPO; JPO;	
			IBM_TDB	
_	157	((object WITH ((detect OR measure) NEAR2 (height OR	USPAT:	2003/05/01 12:40
1 -	157	size))) AND scan\$4) AND reflect	US-PGPUB;	
		אואט פרשוואלן עואר ובווברר	EPO; JPO;	
j	1			
	1.50	(with a OD beginner and OD standard OD mants) AND ///atiaat	IBM_TDB	2002/05/04 42:44
-	156	(ruler OR background OR standard OR mark) AND (((object	USPAT;	2003/05/01 12:41
1		WITH ((detect OR measure) NEAR2 (height OR size))) AND	US-PGPUB;	
1	1	scan\$4) AND reflect)	EPO; JPO; IBM_TDB	
1	1			

	Coordinate AND managing AND object in	LICDAT	2002/05/04 40 00
- 2	(norikazu AND masahito AND akira).in.	USPAT;	2003/05/01 16:02
		US-PGPUB;	
		EPO; JPO;	
74000	(.12 .12)	IBM_TDB	000000000000000000000000000000000000000
- 71992	toshiyuki.in.	USPAT;	2003/05/01 16:02
	·	US-PGPUB;	
		EPO; JPO;	
		IBM_TDB	
- 243	toshiyuki.in. AND (measuring and apparatus).ti.	USPAT;	2003/05/01 16:03
		US-PGPUB;	{
		EPO; JPO;	
,		IBM_TDB	
- 193	,	JPO	2003/05/01 16:03
1- , 1	(toshiyuki.in. AND (measuring and apparatus).ti.) AND	JPO	2003/05/01 16:04
	(container AND information).ti.		
' - 105	(((==================================	USPAT;	2003/05/01 16:24
	reflect\$3) AND (250/234,235.ccls. OR 250/566.ccls. OR	US-PGPUB;	
	250/559.26,559.24,559.19,559.25,559.4.ccls.)	EPO; JPO;	
		IBM_TDB	
- 5	(reference NEAR3 mark) AND ((((size OR height) NEAR5	USPAT;	2003/05/01 16:24
	(detect\$3 OR measur\$4)) SAME reflect\$3) AND	US-PGPUB;	
	(250/234,235.ccls. OR 250/566.ccls. OR	EPO; JPO;	İ
	250/559.26,559.24,559.19,559.25,559.4.ccls.))	IBM_TDB	
- 137	scan\$4 AND ((height OR size OR length OR width OR	USPAT:	2003/05/01 17:35
	dimension) NEAR3 (measur\$4 OR detect\$3 OR	US-PGPUB;	
	discriminat\$3)) WITH (object OR article OR subject) AND	EPO; JPO;	
1	reflect\$3 AND (reference NEAR3 mark\$4)	IBM_TDB	İ
- 3		USPAT	2003/05/01 17:37
- 229	microscope AND scale AND ruler	USPAT:	2003/05/02 10:48
	•	US-PGPUB:	
ĺ		EPO; JPO;	
		IBM_TDB	
- 42	mug ADJ shot	USPAT:	2003/05/02 11:10
		US-PGPUB:	
.		EPO; JPO;	
]]		IBM TDB	
102	(test ADJ tube) SAME ((height OR size) NEAR3 (measur\$4	USPAT;	2003/05/02 11:11
	OR detect\$3 OR discriminat\$3))	US-PGPUB;	
:		EPO; JPO;	
		IBM TDB	